ANNUAL WATER DUALITY REPORT Reporting Year 2018 **Presented By**

Dear Friends:

I am pleased to present you with this complete report on the quality of water we deliver. Although giving this report is a regulatory requirement, it is also a source of pride because ensuring safe, high-quality water and maintaining public confidence in it is our most important trust. Marietta's overall health, economy, and quality of life are greatly dependent on our water and wastewater infrastructure. The 43 employees of Marietta Water are dedicated to providing you with the very best services both effectively and efficiently.

As water users, we are all responsible for establishing habits and practices that conserve and protect our water sources. Taking care of our environment as individuals and as a community is essential to maintaining a high-quality water supply. Marietta Water looks forward to continuing to lead the way as stewards of our most precious resource. Please read this report, and consider what you can do to help.

For more information, visit our Web site at www.mariettaga.gov/151/Power-Water, and remember that Marietta Water has zero calories, tastes great, and costs less than a penny a gallon!

Sincerely,

Tim Marshall

Environmental Compliance Coordinator

Community Participation

Marietta Water operates under the supervision of the Board of Lights and Water (BLW). The BLW was created through the State Legislature. The seven Board Members include: The Mayor (as Chair), a City Council Member (appointed by the Mayor), and five other members of the community (appointed by the City Council.)

The board meets the Monday before the second Wednesday of each month. Marietta Water maintains regular operating hours of Monday through Friday, 7:00 a.m. to 4:00 p.m. To reach the service and maintenance department 24 hours a day, please call (770) 794-5230.

Important Health Information

Some people may be more vulnerable to contaminants in drinking water than the general population. Immunocompromised persons such as those with cancer undergoing chemotherapy, those who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants may be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. The U.S. EPA/CDC (Centers for Disease Control and Prevention) guidelines

on appropriate means to lessen the risk of infection by Cryptosporidium and other microbial contaminants are available from the Safe Drinking Water Hotline at (800) 426-4791 or http://water.epa.gov/drink/hotline.



Substances That Could Be in Water

To ensure that tap water is safe to drink, the U.S. EPA prescribes regulations limiting the amount of certain contaminants in water provided by public water systems. U.S. Food and Drug Administration regulations establish limits for contaminants in bottled water that must provide the same protection for public health. Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of these contaminants does not necessarily indicate that the water poses a health risk.

The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally occurring minerals, in some cases, radioactive material, and substances resulting from the presence of animals or from human activity. Substances that may be present in source water include: Microbial Contaminants, such as viruses and bacteria, which may come from sewage treatment plants, septic systems, agricultural livestock operations, or wildlife; Inorganic Contaminants, such as salts and metals, which can be naturally occurring or may result from urban stormwater runoff, industrial or domestic wastewater discharges, oil and gas production, mining, or farming; Pesticides and Herbicides, which may come from a variety of sources such as agriculture, urban stormwater runoff, and residential uses; Organic Chemical Contaminants, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production and may also come from gas stations, urban stormwater runoff, and septic systems; Radioactive Contaminants, which can be naturally occurring or may be the result of oil and gas production and mining activities.

For more information about contaminants and potential health effects, call the U.S. EPA's Safe Drinking Water Hotline at (800) 426-4791.

Source Water Assessment

The CCMWA and the Atlanta Regional Commission completed a source water assessment itemizing potential sources of water pollution to our surface drinking water supplies. This information can help you understand the potential for contamination of your drinking water supplies and can be used to prioritize the need for protecting drinking water sources.

A source water assessment is a study and report that provides the following information: identifies the area of land that contributes the raw water used for drinking water; identifies potential sources of contamination to drinking water supplies; and provides an understanding of the drinking water supply's susceptibility to contamination.

Individual source pollution involves actual facilities, which have contaminants on site that can pose a potential health risk if humans consume those contaminants. Nonpoint-source pollution is caused by development and by everyday activities that take place in residential, commercial, and rural areas; nonpoint-source pollution is carried by rainfall to streams and lakes. After evaluating these sources of pollution, the assessment report found the Chattahoochee watershed susceptibility ranking to be high and the Lake Allatoona watershed susceptibility ranking to be medium.

For more information on this project, you can visit http://northgeorgiawater.org/wp-content/uploads/2015/05/SWAP_CCMWA_RESULTS.pdf or request information by mail from the Environmental Planning Division, Atlanta Regional Commission, 229 Peachtree Street NE, International Tower Suite 100, Atlanta, GA 30303. Attn: Source Water Assessment

Cryptosporidium

ryptosporidium is a microbial pathogen found in surface water throughout the United States. Although filtration removes cryptosporidium, the most commonly used filtration methods cannot guarantee 100 percent removal. Symptoms of infection include nausea, diarrhea, and abdominal cramps. Most healthy individuals can overcome the disease within a few weeks. However, immunocompromised people, infants and small children, and the elderly are at greater risk of developing lifethreatening illness. We encourage immunocompromised individuals to consult their doctors regarding appropriate precautions to take to avoid infection. Cryptosporidium must be ingested to cause disease, and it may be spread through means other than drinking water. The monitoring of our source water performed in 2013 had no detection of cryptosporidium. Testing was only required for a period of nine months in 2013.

Lead in Home Plumbing

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. We are responsible for providing high-quality drinking water,

but we cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline at (800) 426-4791 or at www.epa.gov/safewater/lead.

Where Does My Water Come From?

Marietta Water purchases water from the Cobb County-Marietta Water Authority (CCMWA), a public utility founded in 1951. The CCMWA



treatment facilities are supplied from two separate surface water sources. The James E. Quarles Treatment Facility, built in 1952, withdraws water from the Chattahoochee River. The Quarles plant can treat a maximum of 86 million gallons of water a day. This water is distributed and utilized on the eastern side of Cobb County and Marietta. The Hugh A. Wyckoff Treatment Facility, originally built in the 1960s, withdraws water from Lake Allatoona. Lake Allatoona is a Corps of Engineers impoundment in north Cobb, south Cherokee, and south Bartow counties. This man-made, multi-use lake is part of the Etowah River Basin. The Wyckoff plant can treat a maximum of 72 million gallons of water a day. This water is distributed and utilized on the north and west side of Cobb County and Marietta (http://www. ccmwa.org/).

QUESTIONS?

Water Main Flushing

Distribution mains (pipes) convey water to homes, businesses, and hydrants in your neighborhood. The water entering distribution mains is of very high quality; however, water quality can deteriorate in areas of the distribution mains over time. Water main flushing is the process of cleaning the interior of water distribution mains by sending a rapid flow of water through the mains.

Flushing maintains water quality in several ways. For example, flushing removes sediments like iron and manganese. Although iron and manganese do not themselves pose health concerns, they can affect the taste, clarity, and color of the water. In addition, sediments can shield microorganisms from the disinfecting power of chlorine, contributing to the growth of microorganisms within distribution mains. Flushing helps remove stale water and ensures the presence of fresh water with sufficient dissolved oxygen and disinfectant levels, and an acceptable taste and smell.

During flushing operations in your neighborhood, some short-term deterioration of water quality, though uncommon, is possible. You should avoid tap water for household uses at such times. If you do use the tap, allow your cold water to run for a few minutes at full velocity before use, and avoid using hot water, to prevent sediment accumulation in your hot water tank.

Please contact us if you have any questions or if you would like more information on our water main flushing schedule.

FOG (Fats, Oils, and Grease)

You may not be aware of it, but every time you pour fat, oil, or grease (FOG) down your sink (e.g., bacon grease), you are contributing to a costly problem in the sewer collection system. FOG coats the inner walls of the plumbing in your house as well as the walls of underground piping throughout the community. Over time, these greasy materials build up and form blockages in pipes, which can lead to wastewater backing up into parks, yards, streets, and storm drains. These backups allow FOG to contaminate local waters, including drinking water. Exposure to untreated wastewater is a public health hazard. FOG discharged into septic systems and drain fields can also cause malfunctions, resulting in more frequent tank pump-outs and other expenses.

Communities spend billions of dollars every year to unplug or replace grease-blocked pipes, repair pump stations, and clean up costly and illegal wastewater spills. Here are some tips that you and your family can follow to help maintain a well-run system now and in the future:

NEVER:

- Pour fats, oil, or grease down the house or storm drains.
- Dispose of food scraps by flushing them.
- Use the toilet as a waste basket.

ALWAYS:

- Scrape and collect fat, oil, and grease into a waste container such as an empty coffee can, and dispose of it with your garbage.
- Place food scraps in waste containers or garbage bags for disposal with solid wastes.
- Place a wastebasket in each bathroom for solid wastes like disposable diapers, creams and lotions, and personal hygiene products including nonbiodegradable wipes.

Tap vs. Bottled

Thanks in part to aggressive marketing, the bottled water industry has successfully convinced us all that water purchased in bottles is a healthier alternative to tap water. However, according to a four-year study conducted by the Natural Resources Defense Council, bottled water is not necessarily cleaner or safer than most tap water. In fact, about 25 percent of bottled water is actually just bottled tap water (40 percent, according to government estimates).

The Food and Drug Administration is responsible for regulating bottled water, but these rules allow for less rigorous testing and purity standards than those required by the U.S. EPA for community tap water. For instance, the high mineral content of some bottled waters makes them unsuitable for babies and young children. Furthermore, the FDA completely exempts bottled water that's packaged and sold within the same state, which accounts for about 70 percent of all bottled water sold in the United States.

People spend 10,000 times more per gallon for bottled water than they typically do for tap water. If you get your recommended eight glasses a day from bottled water, you could spend up to \$1,400 annually. The same amount of tap water would cost about 49 cents. Even if you installed a filter device on your tap, your annual expenditure would be far less than what you'd pay for bottled water.

For a detailed discussion on the NRDC study results, check out their Web site at https://goo.gl/Jxb6xG.

Test Results

Water samples are routinely being analyzed throughout the year in order to determine the presence of any radioactive, biological, inorganic, volatile organic, or synthetic organic contaminants. The tables show the results of these water quality analyses. Every contaminant regulated by the EPA that was detected in the water, even in the minutest traces, is listed here.

The state requires us to monitor for certain substances less often than once per year because the concentrations of these substances do not change frequently. In these cases, the most recent sample data are included, along with the year in which the sample was taken.

REGULATED SUBSTANCES									
SUBSTANCE (UNIT OF MEASURE)	YEAR SAMPLED	MCL [MRDL]	MCLG [MRDLG]	AMOUNT DETECTED	RANGE LOW-HIGH	VIOLATION	TYPICAL SOURCE		
Chlorine (ppm)	2018	[4]	[4]	2.02	0.00-2.02	No	Water additive used to control microbes.		
Chlorite (ppm)	2018	1	0.8	0.51	0.09-0.51	No	By-product of drinking water disinfection.		
Fluoride (ppm)	2018	4	4	0.89	0.60-0.89	No	Erosion of natural deposits; Water additive that promotes strong teeth.		
Haloacetic Acids [HAAs] (ppb)	2018	60	NA	30.61	17.2–53	No	By-products of drinking water disinfection.		
Nitrate + Nitrite (ppm)	2018	10	10	1.0	0.30-1.0	No	Runoff from fertilizer use; Leaching from septic tanks, sewage; Erosion of natural deposits.		
TTHMs [Total Trihalomethanes]– Stage 2 ² (ppb)	2018	80	NA	60.21	24.8–87.2	No	By-products of drinking water disinfection.		
Total Organic Carbon ² (ppm)	2018	TT	NA	1.80	1.00-1.80	No	Naturally present in the environment; Decay of organic matter in the water withdrawn from sources such as lakes and streams.		
Turbidity ³ (NTU)	2018	TT	NA	0.20	ND-0.20	No	Soil runoff.		
Turbidity (Lowest monthly percent of samples meeting limit)	2018	TT = 95% of samples meet the limit	NA	100	NA	No	Soil runoff.		

Tap water samples were collected for lead and copper analyses from sample sites throughout the community. 4

SUBSTANCE (UNIT OF MEASURE)	YEAR SAMPLED	AL	MCLG	AMOUNT DETECTED (90TH %ILE)	SITES ABOVE AL/TOTAL SITES	VIOLATION	TYPICAL SOURCE
Copper (ppm)	2017	1.3	1.3	0.053	0/50	No	Corrosion of household plumbing systems; Erosion of natural deposits.
Lead (ppb)	2017	15	0	2.1	1/50	No	Corrosion of household plumbing systems; Erosion of natural deposits.

¹The highest detected LRAA (Locational Running Annual Average).

Definitions

90th %ile: The levels reported for lead and copper represent the 90th percentile of the total number of sites tested. The 90th percentile is equal to or greater than 90% of our lead and copper detections.

AL (Action Level): The concentration of a contaminant that, if exceeded, triggers treatment or other requirements that a water system must follow.

LRAA (Locational Running Annual Average):

The average of sample analytical results for samples taken at a particular monitoring location during the previous four calendar quarters. Amount Detected values for TTHMs and HAAs are reported as the highest LRAAs.

MCL (Maximum Contaminant Level): The highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

MCLG (Maximum Contaminant Level Goal): The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

MRDL (Maximum Residual Disinfectant Level): The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.

MRDLG (Maximum Residual Disinfectant Level Goal): The level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

NA: Not applicable

ND (**Not detected**): Indicates that the substance was not found by laboratory analysis.

NTU (Nephelometric Turbidity Units):

Measurement of the clarity, or turbidity, of water. Turbidity in excess of 5 NTU is just noticeable to the average person.

ppb (parts per billion): One part substance per billion parts water (or micrograms per liter).

ppm (parts per million): One part substance per million parts water (or milligrams per liter).

TT (**Treatment Technique**): A required process intended to reduce the level of a contaminant in drinking water.

² Some people who drink water containing trihalomethanes in excess of the MCL over many years may experience problems with their livers, kidneys, or central nervous systems, and may have an increased risk of getting cancer.

³Turbidity is a measure of the cloudiness of the water. It is monitored because it is a good indicator of water quality. High turbidity can hinder the effectiveness of disinfectants.

⁴The next round of sampling is due in 2020.